

Joint Review Committee on Education in Radiologic Technology 20 N. Wacker Drive, Suite 2850 Chicago, IL 60606-3182 312.704.5300 www.jrcert.org

CLINICAL CAPACITY CHANGE – MEDICAL DOSIMETRY FORM 1010MD

I. General Information		
Program Name		
JRCERT Program Number		
Clinical setting for which capacity change is sought		
Clinical Setting Address		
II. Clinical Capacity		
The JRCERT will determine the clinical total capacity for this facility based upon the number of dosimetrists available at the facility.		
Please identify the total number of dosimetrists (human resources) located on the campus of this facility.		
Note: A campus is defined as the buildings and grounds of a school, college, university, or hospital and does NOT include any geographically dispersed campus. Separate recognition is required for each facility not meeting this definition.		
Total number of dosimetrists	5	
New requested clinical capacity (number of students program will assign to the facility at any one time)		

III. Program Total Capacity		
Based on the requested change in clinical capacity of this facility, the program would like the program total capacity		
to \square Remain the same $\ \underline{\mathbf{OR}} \ \square$	Increase by students OR Decrease by students	
IV. Signature		
The following signature constitutes a request for a change in clinical capacity of this facility and is accurate to the best of my knowledge.		
Program Director Signature	I agree that checking this box qualifies as my signature.	